IO26172

Spurling, Norman

From:

Miller, Robert

Sent:

Wednesday, February 12, 2014 6:20 AM

To: Cc: Spurling, Norman Panger, Melissa

Subject:

FW: Loss report for owl in Sacramento County

Attachments:

P2750.pdf

A new rodenticide incident from California.

From: McMillin, Stella@Wildlife [mailto:Stella.McMillin@wildlife.ca.gov]

Sent: Tuesday, February 11, 2014 4:46 PM

To: agcomm@saccounty.net; Daniels, Debbie@CDPR; Bireley, Richard@CDPR; Martin, Jeanne@CDPR; Miller, Robert;

Kratville, David@CDFA

Subject: Loss report for owl in Sacramento County

Please find attached a loss report. If you have any comments, please contact me.

Stella McMillin
Senior Environmental Scientist
California Department of Fish and Wildlife
Wildlife Investigations Laboratory
1701 Nimbus Road
Rancho Cordova, CA 95670
Office 916-358-2954
Cell 916-531-9683



DEPARTMENT OF FISH AND WILDLIFE

WILDLIFE BRANCH WILDLIFE INVESTIGATIONS LABORATORY PESTICIDE INVESTIGATIONS

1701 NIMBUS ROAD RANCHO CORDOVA, CA 95670 PHONE (916) 358-2954

Lab Number P-2750

CAHFS D1400464

Date of loss: January 6, 2014 Species: Great horned owl

Listing Status: No special status

To: Ju

Juli Jensen

Report Date: February 11, 2014

Sacramento County Agricultural Commissioner

Remarks

Investigation of great horned owl mortality in Sacramento County.

Background

On January 6, 2014, a dead great horned owl, *Bubo virginianus*, was found by a resident in the Florin area of Sacramento. The owl was brought to the CDFW Wildlife Investigations Laboratory to determine cause of death.

RESULTS OF EXAMINATION

The necropsy was performed at California Animal Health and Food Safety Laboratory on January 10, 2014. The owl was found to be an adult male in fair nutritional condition but with severe autolysis. Hemorrhaging was observed in the right pectoral and shoulder area and blood stains were observed on the leg feathers and feet skin. No signs of trauma were noted. A fluoroscopic examination at the CDFW Wildlife Forensics Laboratory was negative for the presence of radio-dense objects such as bullets, bullet fragments or shotgun pellets. Tests for West Nile Virus and avian influenza were negative. The liver was analyzed for anticoagulant rodenticides and two were detected: 0.059 ppm brodifacoum and 0.29 ppm bromadiolone.

A diagnosis of anticoagulant intoxication requires both the presence of one or more anticoagulant rodenticides in appropriate tissue (in this case, liver) and signs of abnormal bleeding without an identified cause, such as trauma. Given the signs of hemorrhaging without other signs of trauma such as broken bones or ammunition and the presence of two second-generation anticoagulant rodenticides, it is likely that this owl died as a consequence of anticoagulant intoxication.

WILDLIFE INVESTIGATIONS LABORATORY

Stella McMillin, Senior Environmental Scientist

Wildlife Investigations Laboratory

Tella M. Mulin

Approved

Steve Torres, Program Manager, Wildlife Investigations Laboratory

Cc:

Rich Bireley, DPR Registration

Jeanne Martin, DPR Enforcement

Dr. Debbie Daniels, DPR Registration

Robert Miller, USEPA

David Kratville, CDFA